<u> </u>	Application No.	Applicant(s)	
4	09/941,356	LAI ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Lynette T. Umez-Eronini	1765	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>12/30/2003</u> .			
2. The allowed claim(s) is/are 8-20 and 24.			
3. The drawings filed on 29 August 2001 are accepted by the Examiner.			
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) ☐ All b) ☐ Some* c) ☐ None of the:  1. ☐ Certified copies of the priority documents have been received.  2. ☐ Certified copies of the priority documents have been received in Application No  3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE MONTH PERIOD IS NOT EXTENDABLE.  5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.  6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.  (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached  1) ☐ hereto or 2) ☐ to Paper No/Mail Date  (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No/Mail Date  Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).  7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)  1. ☐ Notice of References Cited (PTO-892)  2: ☑ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	Paper No./Mail Da	y (PTO-413), ate <u>3/22/2004</u> . dment/Comment	,

Application/Control Number: 09/941,356

Art Unit: 1765

## **DETAILED ACTION**

This communication is in response to both Appeal Brief and Amendment filed 12/30/2003. The amendment has been entered and upon reconsideration of Appellants' arguments in the Appeal Brief, a new Office Action is presented.

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Randy Tung on 3/22/2004.

The application has been amended as follows:

Cancel claim 22.

2. The following is an examiner's statement of reasons for allowance: Appellants have presented persuasive arguments (see Appeal Brief, pages 7-8) to overcome the new matter rejection of based claims 8 and 21, Support for the limitation, "and so that the etching does not stop on the low dielectric constant material and the dielectric layer is etched" in based claim 8 is found in the Specification ([0054] in the Amendment of Paper No. 3, filed 5/9/2003). Also, no prior art teaches and suggests using an aqueous solution of HCI and HF in a method of etching a device so that etching does not stop on

Application/Control Number: 09/941,356

Art Unit: 1765

a low dielectric constant layer that is etched and that lies between two metal

interconnects, along with the other limitations of claims 8-20 and 24.

Any comments considered necessary by applicant must be submitted no later

than the payment of the issue fee and, to avoid processing delays, should preferably

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Lynette T. Umez-Eronini whose telephone number is

571-272-1470. The examiner is normally unavailable on the First Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Nadine Norton can be reached on 571-272-1465.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Itue

March 18, 2004

NADINE C MORTON AMINER

SUPERVISOR!

Mod